Department of Defense Standardization Program



ASSIST UPDATE

(A bi-monthly summary of changes to the ASSIST document database)

1 October 2011

(For the Period 15 September 2011 to 30 September 2011)

ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of "N" or "M" to describe the last action taken on a listed document. "N" indicates that a "new" document has been entered into the ASSIST database. "M" indicates that a document already in ASSIST has been "modified" in some way. The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at https://assist.daps.dla.mil for the most current information. If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at https://assist.daps.dla.mil/online/registration/registration.cfm. Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: https://assist.daps.dla.mil/online/news/AlertService.htm.

ASSIST UPDATE

ACTIVE SECTION	ASSIST OFDATE				
N OCLION ACLION		DISTRIBUTION	FSC/AREA	P ACTY	
AST		IST	SC/	MCA PREP	
M JSSG-2005 NOT 2	DOCUMENT TITLE Avionic Subsystem [CUST: AV AS 11]	A		11	DATE 28-SEP-2011
M MS20667K	Terminal, Wire Rope, Swaging, Fork End [CUST: CR4 AS 99 GS] [REVIEW: 71 MD]		1640	GS5	19-SEP-2011
M MS20668H	Terminal, Wire Rope, Swaging, Eye End [CUST: CR4 AS 99 GS] [REVIEW: 71]	Α	1640	GS5	19-SEP-2011
M MS21259K	Terminal, Wire Rope, Swaging, Stud, Long Thread [CUST: AS 99 GS] [REVIEW: 71 MC]	A	1640	GS5	19-SEP-2011
M MS21260N M MIL-DTL-8794F(3)	Terminal, Wire Rope, Swaging, Stud [CUST: CR4 AS 99 GS] [REVIEW: 71 MC] Hose, Synthetic Rubber - Hydraulic Fluid, Fuel, and Oil Resistant [CUST: AV AS 99 CC]	A A	1640 4720	GS5 CC	19-SEP-2011 01-SEP-2011
W MIL-D1L-07741(3)	[REVIEW: 11 71 AT MC MI SA]	11	4720	CC	01-SE1-2011
M MIL-V-81940/4 NOT 1	Valve, Sampling and Bleed, Hydraulic, 3,000 PSI Non-Aircraft Applications [CUST: AV SH 11] [REVIEW: 71 AS MC SA]	A		SH	29-SEP-2011
M MS51971D M QPL-55342-115	Nut, Plain, Hexagon-Steel, Corrosion Resisting, 300 Series, Passivated, UNC-2B [CUST: AR 99 IS] Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification for		5310 5905	IS CR	19-SEP-2011 21-SEP-2011
M MIL-PRF-6106/9E	Relay, Electromagnetic, Continuous Duty, 60 AMP, 3PDT, Environmentally Sealed [CUST: 85 CC] [REVIEW: 99]	A	5945	CC	22-SEP-2011
M MIL-PRF-83536/1B	Relays, Electromagnetic, Established Reliability, DPDT, Low Level to 5 Amperes, Permanent Magnetic Drive, Hermetically Sealed, All Welded, DC Coils [CUST: CR EC 85 CC] [REVIEW: 99]		5945	CC	29-SEP-2011
M MIL-PRF-83726/29G	Relays, Hybrid, Time Delay (on Release), Class B, Type IIA, Hermetically Sealed, DPDT, 10 Amperes, Fixed Time, 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]		5945	CC	15-SEP-2011
M MIL-PRF-83726/30G	Relay, Hybrid, Time Delay (on Operate), Class B, Type I, Hermetically Sealed, DPDT, 10 Amperes, Adjustable Time Delay (External Resistor), 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945	CC	28-SEP-2011
M MIL-PRF-83726/31G	Relay, Hybrid, Time Delay (on Release), Class B, Type IIA, Hermetically Sealed, DPDT, 10 Amperes, Adjustable Time Delay (External Resistor), 0.1 to 500 Seconds [CUST: EC 85 CC] [REVIEW: 19 OS]	A	5945	CC	29-SEP-2011
M MIL-PRF-83446/36A	Coils, Radio Frequency, Chip, Open Construction, Surface Mount, 0603 Size [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS]	A	5950	CC	16-SEP-2011
M MIL-PRF-83446/37A	Coils, Radio Frequency, Chip, Open Construction, Surface Mount, 0805 Size [CUST: CR EC 85 CC] [REVIEW: 19 AS MI OS]	A	5950	CC	16-SEP-2011
N ECA-512-1	Measurement of the Equivalent Electrical Parameters of Quartz Crystal Units, 1 kHz to 1 GHz [CUST: CR EC 85 CC] [REVIEW: 19 84 99 AR AS CG MC MI NA OS SH SM]	A	5955	CC	14-SEP-2011
N ECA-512	Measurement of the Equivalent Electrical Parameters of Quartz Crystal Units, 1 kHz to 1 GHz [CUST: CR EC 85 CC] [REVIEW: 19 84 99 AR AS CG MC MI NA OS SH SM]	A	5955	CC	14-SEP-2011
M MIL-PRF-19500/114H	Semiconductor Device, Diode, Silicon, Voltage Regulator, 1N2804B Through 1N2811B, 1N2813B, 1N2814B, 1N2816B, 1N2818B Through 1N2820B, 1N2822B Through 1N2827B, 1N2829B, 1N2831B Through 1N2838B, 1N2840B Through 1N2846B, and RB Types, 1N4557B Through 1N4562B, and RB Types, JAN, JANTXV, JANTXV, and JANS [CUST: CR EC 85 CC] [REVIEW: 19 AR AS MC MR SH SM]	A	5961	CC	09-SEP-2011
M MIL-PRF-19500/231M(3)	Semiconductor Device, Diode, Silicon, Switching, Types 1N4150-1, 1N4150UR-1, 1N4150UB, 1N4150UBCA, 1N4150UBCC, 1N4150UBD, and 1N3600, JAN, JANTX, and JANTXV [CUST: CR EC 85 CC NA] [REVIEW: 19 71 99 AR AS AV MC MI SM]	A	5961	CC	16-SEP-2011
M MIL-PRF-19500/291T	Semiconductor Device, Transistor, PNP, Silicon, Switching, Types 2N2906A, 2N2906AL, 2N2907A, 2N2907AL, 2N2906AUA, 2N2907AUA, 2N2906AUBC, 2N2907AUBC, and 2N2907AUBC, JAN, JANTX, JANTXV, JANS, JANSM, JANSD, JANSP, JANSL, JANSR, JANSF, JANSG, JANSH JANHC, JANKC, JANKCM, JANKCD, JANKCP, JANKCL, JANKCR, JANKCF, JANKCG, and JANKCH [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961	CC	23-SEP-2011
M MIL-PRF-19500/304E	Semiconductor Device, Diode, Silicon, Power Rectifier, Fast-Recovery Types 1N3885, 1N3886, 1N3888, 1N3890, 1N3891, 1N3893, 1N3890R, 1N3891R, 1N3893R and A-Versions JAN, JANTX, JANTXV, JANS, JANHC and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 AR AS MC MI SM]	A	5961	CC	20-SEP-2011
M MIL-PRF-19500/542J	Semiconductor Device, Transistor, Field Effect, N-Channel, Silicon, Types 2N6756, 2N6758, 2N6760, 2N6762, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 70 AS]	A	5961	CC	22-SEP-2011
M MIL-PRF-19500/543M	Semiconductor Device, Field Effect Transistors, N-Channel, Silicon Repetitive Avalanche, Types 2N6764, 2N6764T1, 2N6766, 2N6766T1, 2N6768, 2N6768T1, 2N6770, and 2N6770T1, JAN, JANTX, JANTXV, JANS, JANHC, and JANKC [CUST: CR EC 85 CC NA] [REVIEW: 19 70 99 AR MI]	A	5961	CC	22-SEP-2011
M MIL-PRF-19500/613D	Semiconductor Device, Transistor, NPN, Silicon, Power, Type 2N7373, JAN, JANTX, JANTXV, JANS and JANSD, D, P, L, R, F, G, and H [CUST: CR EC 85 CC NA] [REVIEW: 19 99 AR AS MC MI SM]	A	5961	CC	21-SEP-2011
M MIL-HDBK-103AJ	List of Standard Microcircuit Drawings [CUST: CC]		5962	CC	19-SEP-2011
N SAE-AS81914	Tubing, Plastic, Flexible, Convoluted, Conduit, General Specification for [CUST: MI AS] [REVIEW: GS]		5975	AS	12-SEP-2011
N SAE-AS81914/1	Tubing, Plastic, Flexible, Convoluted Helical, Polytetrafluoroethylene (PTFE) Standard Convolutions [CUST: MI AS] [REVIEW: GS] Tubing, Plastic, Extra Floxible, Convoluted Helical, Polytetrafluoroethylene (PTFE) Closes		5975	AS	12-SEP-2011
N SAE-AS81914/2 N SAE-AS81914/3	Tubing, Plastic, Extra Flexible, Convoluted Helical, Polytetrafluoroethylene (PTFE) Close Convolutions [CUST: AS] [REVIEW: GS] Tubing, Plastic, Flexible, Convoluted, Helical Fluorinated Ethylene Propylene (FEP), Standard		5975 5975	AS AS	12-SEP-2011 12-SEP-2011
N SAE-AS81914/4	Convolution [CUST: AS] [REVIEW: GS] Tubing, Plastic, Extra Flexible, Convoluted, Helical, Fluorinated Ethylene Propylene (FEP), Standard Tubing, Plastic, Extra Flexible, Convoluted, Helical, Fluorinated Ethylene Propylene (FEP), Close		5975	AS AS	12-SEP-2011 12-SEP-2011
N SAE-AS81914/5	Convolution [CUST: AS] [REVIEW: GS] Tubing, Plastic, Extra Flexible, Convoluted, Helical, Ethylene Tetrafluoroethylene (ETFE), Close		5975	AS AS	12-SEP-2011 12-SEP-2011
N SAE-AS81914/5	Convolution [CUST: AS] [REVIEW: GS] Tubing, Plastic, Flexible, Convoluted, Helical Ethylene Tetrafluoroethylene (ETFE), Standard		5975	AS	12-SEP-2011 12-SEP-2011
	Convolution [CUST: AS] [REVIEW: GS]				
N SAE-AS81914/7	Tubing, Plastic, Flexible, Convoluted with Integral Braid (s) [CUST: AS] [REVIEW: GS]	A		AS	12-SEP-2011
N SAE-AS81914/8 N SAE-AS81914/9	Tubing, Plastic, Flexible, Convoluted, Annular Polyvinylidene Fluoride (PVDF), Thermally Stabalized, Standard Convolutions [CUST: AS] [REVIEW: GS] Tubing, Plastic, Flexible, Convoluted, Helical Perfluoroalkoxy (PFA), Standard Convolution [CUST:		5975 5975	AS AS	12-SEP-2011 12-SEP-2011
N SAE-AS81914/10	AS] [REVIEW: GS] Tubing, Plastic, Extra Flexible, Convoluted, Helical, Perfluoroalkoxy (FFA), Standard Convolution [CUS1: AS] [REVIEW: GS]		5975	AS	12-SEP-2011
5.15 1.001/1-1/10	[CUST: AS] [REVIEW: GS]		5715	115	12 551 -2011
01 OCT 2011		-			

ACTIVE SECTION

ASSIST UPDATE

ACTIVE SECTION	ASSIST UPDATE					
LAST ACTION LAST ACTION BEAUTH THE TRANSPORT TO THE TRANS		DISTRIBUTION	FSC/AREA		ACTY	
XI Y		STRI	C/AF	Ą	EP A	
DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA	PREP.	DATE
N SAE-AS81914/11	Tubing, Plastic, Lightweight, Zero Halogen, Extra Flexible, Convoluted, Helical, Close Convolution, Polyetheretherkeytone (PEEK) [CUST: AS] [REVIEW: GS]	A	5975		AS	12-SEP-2011
M MIL-DTL-3933/29A	Attenuators, Fixed, Space Level, Non Space Level, Chip, (Surface Mount), 0-20 DB, Frequency Range: DC To 18 GHZ, Class IV [CUST: CR EC 85 CC]	A	5985		CC	27-SEP-2011
M MIL-DTL-24044/1C	Flanges, Fixed, Coaxial Line, Rigid [CUST: CR EC 85 CC] [REVIEW: AS MC OS] Antenna, Flush Mount, Type AT-740/A [CUST: 85 CC]		5985		CC	15-SEP-2011
M MIL-DTL-25707/1C M MIL-DTL-25707/3C	Antenna, Flush Mount (Radius of Curvature - 66.50 Inches) [CUST: 85 CC] [REVIEW: 99]	A	5985 5985		CC CC	15-SEP-2011 15-SEP-2011
M MIL-DTL-83528D SUP 1	Gasketing Material, Conductive, Shielding Gasket, Electronic, Elastomer, EMI/RFI General Specification for [CUST: CR EC 85 CC] [REVIEW: 19 99]		5999		CC	20-SEP-2011
M A-A-59466C N MIL-PRF-64266/18	Clips, Electrical, General Specification for [CUST: CR SH 85 CC] [REVIEW: 99 CR4 EA MI] Connectors, Fiber Optic, Circular, Plug and Receptacle Style, Multiple Removable Termini, Screw Threads, Backshell, Split, Multiple Fiber Cables, Strength Member Capture at Cable Entry Interface, Environment Resisting, Temperature Range 1 [CUST: CR SH 85 CC] [REVIEW: 13 19 93 99 AS DI NA]		5999 6060	/	CC	22-SEP-2011 22-SEP-2011
M MIL-STD-1678-1(1)	Fiber Optic Cabling Systems Requirements and Measurements (Part 1: Design, Installation and Maintenance Requirements) (Part 1 of 5 Parts) [CUST: CR AS 85 CC] [REVIEW: 99]	A	60GP		CC	21-SEP-2011
M MIL-STD-1678-2(1)	Fiber Optic Cabling Systems Requirements and Measurements (Part 2: Optical Measurements) (Part 2 of 5 Parts) [CUST: CR SH 85 CC] [REVIEW: 99]	A	60GP		CC	21-SEP-2011
M MIL-PRF-8565/19(1)	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 15-Ampere-Hour [CUST: AS 99 CC] [REVIEW: 11]	A	6140		AS	21-SEP-2011
M MIL-PRF-8565/20(1)	Battery, Storage, Aircraft, Medium Rate, Maintenance-Free, 24-Volt, 17-Ampere-Hour [CUST: AS 99 CC] [REVIEW: 11]		6140		AS	21-SEP-2011
M MIL-PRF-81298E	Dye, Liquid for the Detection of Leaks in Aircraft Fuel Systems [CUST: AV AS 68 GS] [REVIEW: 11 19 99 AT CG EA MR PS SH SM]		6820		68	28-SEP-2011
M MIL-DTL-44054C N ASTM-B177/B177M M DI-MGMT-81838	Bottle: Oil Sample; with Container, Nonaeronautical [CUST: GL IS] [REVIEW: MD] Engineering Chromium Electroplating, Standard Guide for [CUST: MR YD 11] Commercial Asset Visibility (CAV) Reporting [AMSC: N9211]	A	8125 MFFP MGMT		IS 11 SA	14-SEP-2011 30-SEP-2011 14-SEP-2011

INACTIVE SECTION

ASSIST UPDATE

INACTIVE SECTION	ASSIST UPDATE			
N OCUMENT NUMBER		DISTRIBUTION FSC/AREA	MCA PREP ACTY	
	DOCUMENT TITLE		M(DATE
	Riot Control Agent, CR Solution [CUST: EA]		EA	28-SEP-2011
DOCUMENT NUMBER M MIL-DTL-51447A M MIL-DTL-3928/16B NOT 2	Riot Control Agent, CR Solution [CUST: EA] Switches, Ratio-Frequency Transmission Line (Coaxial) (Electrically Operated) Class 5, 1P3T [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC MI OS SH]	NG H 1365 A 5985	ECC CC BEB	DATE 28-SEP-2011 20-SEP-2011
01 OCT 2011	2			

3

ASSIST UPDATE

CANCELED SECTION	ASSIST UPDATE					
N OCUMENT NUMBER		DISTRIBUTION	FSC/AREA	A G		
DOCUMENT NUMBER	DOCUMENT TITLE	DIS	FSC	MCA		DATE
M MIL-A-51487A NOT 3 M MS24369A NOT 4	Arming/Firing Unit (See Notice 3 for Replacement Information) [CUST: EA] Rim Contour - 30X8.8, Type VII, Extra High Pressure, Main Landing Gear Wheel (No S/S Document) [CUST: 70] [REVIEW: GS]	A A	1040 1630		EA O	29-SEP-2011 19-SEP-2011
M AND10578 REV B NOT 4	Rim Contour-5.00-5, Type III, Low Pressure, Helicopter Landing Gear Wheel (No S/S Document) [CUST: AV AS 70] [REVIEW: GS MC]	A	1630	7	0	19-SEP-2011
M MS21780 NOT 4	Tire - Pneumatic Rebuilt Type VIII 30 X 11.5-14.5/24 PR (No S/S Document) [CUST: 70] [REVIEW: CC GS]	A	2620	7	0	19-SEP-2011
M MS22078 NOT 4 M MIL-S-12511G NOT 3	Tire Rebuilt 26 X 6.6/14PR (No S/S Document) [CUST: AS 70] [REVIEW: CC GS] Sprayer, Pesticide, Frame-Mounted: Gasoline-Engine-Driven, Mist and Solid Stream, 360 GHP (No		2620 3740		0 6S3	19-SEP-2011 28-SEP-2011
M MIL-S-23923D NOT 3	S/S Document) [CUST: MS 99 GS] [REVIEW: 84 MC MD] Sprayer and Duster Units, Insecticide, Mist-Dust Blower Type: GED, 30 to 100 Gal/H Liquid, 30 to		3740		3S3	20-SEP-2011
M AN960 REV 21 NOT 1 M MIL-T-81914 SUP 1 NOT 2	300 LB/H Dust (Commercial) (No S/S Document) [CUST: MS 99 GS] [REVIEW: 84 MC] Washer, Flat (S/S by NAS1149) [CUST: AV AS 99 IS] [REVIEW: 71 EA] Tubing, Plastic, Flexible, Convoluted, Conduit General Specification For (S/S by SAE-AS81914)	1	5310 5975		S AS	16-SEP-2011 12-SEP-2011
	[CUST: AS] [REVIEW: GS]					12-SEP-2011
M MIL-T-81914/1 NOT 3	Tubing, Plastic, Flexible, Convoluted, Polytetrafluoroethylene, Standard Convolutions (S/S by SAE-AS81914/1) [CUST: MI AS] [REVIEW: GS]		5975		AS	
M MIL-T-81914/2 NOT 3	Tubing, Plastic, Extra Flexible, Convoluted, Polytetrafluorethylene Close Convolution (S/S by SAE-AS81914/2) [CUST: AS] [REVIEW: GS]	A	5975	F	AS	12-SEP-2011
M MIL-T-81914/3 NOT 3	Tubing, Plastic, Flexible, Convoluted, fluorinated Ethylene Propylene, Standard Convolution (S/S by SAE-AS81914/3) [CUST: AS] [REVIEW: GS]				AS	12-SEP-2011
M MIL-T-81914/4 NOT 2	Tubing, Plastic, Extra Flexible, Convoluted, Fluorinated Ethylene Propylene, Close Convolution (S/S by SAE-AS81914/4) [CUST: AS] [REVIEW: GS]	A	5975	A	AS	12-SEP-2011
M MIL-T-81914/5 NOT 4	Tubing, Plastic, Extra Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Close Convolution (S/S by SAE-AS81914/5) [CUST: AS]	A	5975	A	AS	12-SEP-2011
M MIL-T-81914/6 NOT 3	Tubing, Plastic, Flexible, Convoluted, Ethylene-Tetrafluoroethylene, Standard Convolution (S/S by SAE-AS81914/6) [CUST: AS] [REVIEW: GS]	A	5975	A	AS	12-SEP-2011
M MIL-T-81914/7 NOT 5	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Integral Braid (S/S by SAE-AS81914/7) [CUST: AS] [REVIEW: GS]	A	5975	A	AS	12-SEP-2011
M SAE-AMS-T-81914	Tubing, Plastic, Flexible, Convoluted, Conduit (S/S by SAE-AS81914) [CUST: MI AS] [REVIEW: GS]	A	5975	A	AS	12-SEP-2011
M SAE-AMS-T-81914/1	Tubing, Plastic, Flexible, Convoluted, Polytetrafluoroethylene, Standard Convolutions (S/S by SAE-AS81914/1) [CUST: MI AS1 [REVIEW: GS]	A	5975	A	AS	12-SEP-2011
M SAE-AMS-T-81914/2	Tubing, Plastic, Extra Flexible, Convoluted, Polytetrafluoroethylene, Close Convolution (S/S by SAE-AS81914/2) [CUST: AS] [REVIEW: GS]	A	5975	A	AS	12-SEP-2011
M SAE-AMS-T-81914/3	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Standard Convolution (S/S by SAE-AS81914/3) [CUST: AS] [REVIEW: GS]	A	5975	A	AS	12-SEP-2011
M SAE-AMS-T-81914/4	Tubing, Plastic, Extra Flexible, Convoluted, Fluorinated Ethylene Propylene, Close Convolution	A	5975	A	AS	12-SEP-2011
M SAE-AMS-T-81914/5	(S/S by SAE-AS81914/4) [CUST: AS] [REVIEW: GS] Tubing, Plastic, Extra Flexible, Convoluted, Ethylene-Tetrafluroroethylene, Close Convolution (S/S by SAE-AS81914/5) [CUST: AS] [REVIEW: GS]	A	5975	A	AS	12-SEP-2011
M SAE-AMS-T-81914/6	Tubing, Plastic, Flexible, Convoluted, Ethylene-Tetrafluroroethylene, Standard Convolution (S/S by SAE-AS81914/6) [CUST: AS] [REVIEW: GS]	A	5975	A	AS	12-SEP-2011
M SAE-AMS-T-81914/7	Tubing, Plastic, Flexible, Convoluted, Fluorinated Ethylene Propylene, Integral Braid (S/S by SAE-AS81914/7) [CUST: AS] [REVIEW: GS]	A	5975	A	AS	12-SEP-2011
M MIL-E-19122A NOT 4	Electrodes, Carbon, Lighting, High-Intensity Searchlight Service (No S/S Document) [CUST: SH 99 GS]	A	5977	(GS4	13-SEP-2011
M EIA215 M MS90384D NOT 5	Basic Requirements for Broadcast Microphone Cables (No S/S Document) [CUST: CE YD 99] Cable Assemblies, Electric Power, Permanently Wired, for Portable Ground Support Test Equipment	1	5995 6150		D SS8	30-SEP-2011 28-SEP-2011
M A-A-56001 NOT 1	(No S/S Document) [CUST: AS GS] Test Set, Electrical Power AN/UPM-93() (No S/S Document) [CUST: CR]	A	6625	/ (CR	22-SEP-2011
M A-A-56002 NOT 1	Test Set, Insulation Breakdown AN/GSM-6() (No S/S Document) [CUST: CR]	A	6625	/ (CR	22-SEP-2011
M EIA160 M EIA330	Sound Systems (No S/S Document) [CUST: YD] Closed Circuit Television Camera 525/60, Electrical Performance Standard for (No S/S Document)		FACR FACR		YD YD	30-SEP-2011 30-SEP-2011
M EIA375	[CUST: YD] Television Monitors 525/60 Interlaced 2:1, Direct View Monochrome Closed Circuit (No S/S Document) [CUST: YD]	A	FACR	Y	/D	30-SEP-2011
M EIA412	Direct View High Resolution Monochrome Closed Circuit Television Monitors (No S/S Document)	A	FACR	Y	/D	30-SEP-2011
M ASTM-B177	[CUST: YD] Engineering Chromium Electroplating, Standard Guide for (S/S by ASTM-B177/B177M) [CUST: MR YD 11]	A	MFFP	1	1	30-SEP-2011